

REPORT DOCUMENTATION PAGE

Form Approved
OMB NO. 0704-0188

Public Reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE 05/01/00		3. REPORT TYPE AND DATES COVERED Final, 05/01/95 - 04/30/99	
4. TITLE AND SUBTITLE A Continuation Proposal: A Scalable Parallel Library for Numerical Linear Algebra				5. FUNDING NUMBERS DAAH04-95-1-0077	
6. AUTHOR(S) Susan Blackford, author Tracy Rafferty, editor					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The University of Tennessee 104 Ayres Hall Knoxville, TN 37996-1301				8. PERFORMING ORGANIZATION REPORT NUMBER F-1	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211				10. SPONSORING / MONITORING AGENCY REPORT NUMBER ARO 34387.1-mA	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.					
12 a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.				12 b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This research project consisted of a number of closely related topics involving researchers at several institutions. The research is leading to important new software tools and standards. using primarily, the software packages ScalAPACK and P_ARPACK. ScalAPACK, developed at the University of Tennessee at Knoxville, Oak Ridge National Laboratory, and the University of California at Berkeley, is a prototype library of software for performing dense and band linear algebra computations on message-passing computers. P_ARPACK, developed at Rice University, is a distributed-memory software package for solving large, sparse, nonsymmetrical eigenproblems using a variant of the implicitly restarted arnoldi method. Recognizing that a message passing standard was necessary to ensure the easy portability of the prototype libraries, the project initiated and promoted the development of the MPI message passing interface, as well as the HPF standard. Standards specific to parallel linear algebra are also being developed.					
14. SUBJECT TERMS software libraries algorithms eigenproblems				15. NUMBER OF PAGES 18	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION ON THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL		

NSN 7540-01-280-5500

Standard Form 298 (Rev.2-89)
Prescribed by ANSI Std. Z39-18
298-102

20000707 042

DTIC QUALITY INSPECTED 4

A Scalable Parallel Library for Numerical Linear Algebra

Final Progress Report
Jack J. Dongarra
July 1999

U.S. Army Research Office

Research Agreement DAAH04-95-1-0077

University of Tennessee at Knoxville
Oak Ridge National Laboratory
University of California at Berkeley
Rice University
University of Illinois at Urbana-Champaign
University of California at Los Angeles

Approved for public release;
distribution unlimited.

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

Contents

1 Problem Studied	3
2 Summary of Most Important Results	4
3 Publications and Technical Reports	8
4 Participating Scientific Personnel Earning Advanced Degrees	15

1 Problem Studied

This report surveys final progress in the research project “A Scalable Parallel Library For Numerical Linear Algebra,” and constitutes a final progress report.

This research project consisted of a number of closely related topics involving researchers at a number of institutions. ScaLAPACK is being developed at the University of Tennessee at Knoxville, Oak Ridge National Laboratory, and the University of California at Berkeley. ScaLAPACK is a prototype library of software for performing dense and band linear algebra computations on message-passing computers, and also includes out-of-core linear solvers, out-of-core eigensolvers, new ScaLAPACK and PBLAS routines for packed storage, an HPF interface to a subset of ScaLAPACK routines, SuperLU, SuperLU_MT, and SuperLU_DIST, a spectral divide and conquer (SDC) eigensolver using the matrix sign function, and ATLAS.

P_ARPACK is developed at Rice University, and is a distributed-memory software package for solving large, sparse, nonsymmetric eigenproblems using a variant of the implicitly restarted Arnoldi method. CAPSS, developed at the University of Illinois at Urbana-Champaign, is a fully parallel package for solving sparse linear systems of the form $Ax = b$ on message passing computers using matrix factorization. Researchers at the University of Tennessee at Knoxville and the University of California at Los Angeles are developing a package called ParPre which is a collection of parallel preconditioners for iterative solution methods for linear systems of equations. ScaLAPACK, P_ARPACK, CAPSS, and ParPre have been placed in the public domain and are accessible via the National HPCC Software Exchange.

<http://www.netlib.org/scalapack/>

The research is leading to a number of important new software tools and standards. Recognizing that a message passing standard was necessary to ensure the easy portability of the prototype libraries, the project initiated and promoted the development of the MPI message passing interface [4], as well as the HPF [5] standard. Standards specific to parallel linear algebra are also being developed.

2 Summary of Most Important Results

The official release of the PBLAS, version 2.0, was announced in FY 1999. This new release of the PBLAS will be included in the next release of ScaLAPACK, projected for the year 2000. Also included in the next release of ScaLAPACK will be the parallel divide and conquer symmetric eigensolver that was developed in FY 1998.

SuperLU is a supernodal version of sparse Gaussian elimination and is currently one of the two fastest serial implementations of sparse Gaussian elimination (on some test problems it wins, on others another code is faster), and the fastest parallel implementation. Serial SuperLU, multi-threaded SuperLU_MT, and distributed-memory SuperLU_DIST are available on netlib.

We have a prototype running of a new algorithm, which may be the ultimate solution for the symmetric eigenproblem on both parallel and serial machines. This algorithm has been incorporated into the symmetric eigenproblems of LAPACK, version 3.0, and will soon be propagated into the SVD, and the SVD-based least squares solver. We expect to also propagate this algorithm into ScaLAPACK.

ARPACK++: A C++ interface has been developed for ARPACK. This package provides templates for utilizing ARPACK in an object oriented environment. All of the Fortran templates provided in the EXAMPLES directory are available in a high level form that requires little more than a matrix definition and specification of which eigenvalues to compute from the user. Shift-Invert spectral transformation modes incorporate and use the SuperLU sparse factorization software mentioned previously in this report. This software is complete and is undergoing Beta-test now. Further testing and refinement should be completed within the next six months. This will then be made a part of the regular ARPACK distribution on completion.

We have continued developing a blocked out-of-core variant of the implicitly restarted Arnoldi method, as well as improved spectral transformation strategies and deflation techniques for large sparse eigenvalue problems.

Our work has been adopted by Mathworks and forms the basis for the new *eigs* command in Matlab for sparse eigenvalue computation.

We have completed an ARPACK users guide that is currently available on the web:

R.B. Lehoucq, D.C. Sorensen, and C. Yang,
ARPACK Users Guide: Solution of Large Scale Eigenvalue Problems
with Implicitly Restarted Arnoldi methods, 142 pages, SIAM
Publications (1998)

A user's guide for ARPACK++ has been completed and is currently
available from <http://www.caam.rice.edu/software/ARPACK>.

F.M. Gomes and D.C. Sorensen,
ARPACK++ : A C++ implementation of the ARPACK eigenvalue package
(draft date June 1997).

The main effort for the CAPSS project was directed towards developing a scalable "Domain-separator ICCG" by for large-scale multiprocessors. This is a major development and integration effort and involves adapting several components of CAPSS and MFACT as well as implementing new algorithms. For example, we will replace numeric kernels for multifrontal factorization (in CAPSS) by a new tree-update scheme with flexible matrix forms. Likewise, for applying the preconditioner we will modify SI to work with our new, flexible matrix forms. Furthermore, we will add a post-processing step to drop small elements.

The plans for our object-oriented framework for grid solvers focused on completing the design and implementation of the factorization phases as part of the object-oriented framework, to be followed by the design and implementation of the grid-based preconditioner for iterative methods, and then demonstrating the capabilities of the object-oriented framework on various grid-based applications.

Plans for the interactive framework DLab call for expanding its repertoire of operations to include support for sparse matrix computations and fast Fourier transforms. Substantial refinements are planned for DLab's scheduler, resource monitor, and its performance prediction and lazy evaluation capabilities. This work was presented in a minisymposium at the SIAM National Meeting in Atlanta in May, 1999.

The ParPre library now comprises Schwarz preconditioners, Schur-complement domain decomposition methods, block SSOR/ILU preconditioners, and V-cycle multilevel methods. The multilevel methods are both parallel multi-colour ILU, and algebraic multigrid type methods. The code is being maintained to keep it compatible with the Petsc library, and we are doing further research into the multilevel methods. Web site for the ParPre project:

<http://www.cs.utk.edu/~eijkhout/parpre.html>

A manual for ParPre as well as a paper on the design principles have been published [3, 2].

We have rewritten some of the internals of ParPre to reflect changes in the design of the PETSc library, which we use. The functionality of the Block SSOR method has been expanded so that it can reproduce various block factorizations, including an exact factorization.

We have identified several aspects of the algebraic multilevel method in which the parallel method is fundamentally different from earlier sequential ones. We are investigating these, and update the code to reflect the new insights.

We have begun research into the existence question of incomplete factorizations. Such sequential methods are crucial as local components of various types of domain decomposition methods.

We will continue the further development of algebraic multilevel methods and perform extensive testing on them. In addition, we intend to supply a proof of the condition number reduction of the method, analogous to such proofs as in [1].

ATLAS was extended in FY 1998 to support the matrix-vector multiply DGEMV, and will eventually generate all Level 3 BLAS directly, as well as providing complex data types. Much of the technology and approach developed here can be applied to the other Level 3 BLAS and the general strategy can have an impact on basic linear algebra operations in general and may be extended to other important kernel operations.

Another avenue of research for ATLAS involves sparse algorithms. The fundamental building block of iterative methods is the sparse matrix times dense vector multiply. This work should leverage the present research (in particular, make use of the dense matrix-vector multiply). The present work uses compile-time adaptation of software. Since matrix vector multiply may be called literally thousands of times during the course of an iterative method, we plan to investigate run-time adaptation as well. These run-time adaptations could include matrix dependent transformations [6], as well as specific code generation. For further details, please refer to the following URL:

<http://www.netlib.org/atlas/>

The BLAS Technical Forum meetings continued through 1998. On

April 27-29, 1998, the meeting was held at SGI/Cray Research in Eagan, Minnesota. The next meeting was held at NIST in Washington, D.C. on October 8-9, 1998. And on December 14-16, 1998, the meeting was held at LBL in Berkeley, California. The final meeting occurred on March 16-18, 1999, at the Ramada Inn and Suites in Oak Ridge, TN.

Refer to the BLAS Technical Forum homepage

<http://www.netlib.org/utk/papers/blast-forum.html>

for detailed minutes from each of the meetings and a draft of the document for the BLAS Standard. Reference implementations of the proposed routines are being written. The final draft of the BLAS Standard will be available in the Summer, 2000.

And finally, a large team of experts is working on a book of Eigentemplates, which is designed to help the user find the best eigenvalue algorithm available for a particular problem and computer. The book is entering the final stage of the editing, and we are expecting to have the eigentemplate book published by SIAM in the Fall, 1999. The current draft of the book is available via the URL:

<http://www.ms.uky.edu/bai/ET/contents.html>

Technology Transfer

The ScaLAPACK library for dense linear algebra computations is in the process of transition to the commercial marketplace. ScaLAPACK has been incorporated into several commercial packages, including the NAG Parallel Library, IBM Parallel ESSL, and SGI Cray Scientific Software Library, and is being integrated into the VNI IMSL Numerical Library, as well as software libraries for Fujitsu, Hewlett-Packard/Convex, Hitachi, and NEC.

The ScaLAPACK library has become an official release for ASCI Red's operating system. Each build of the operating system will be validated against ScaLAPACK and each new compiler and operating system drop will contain an automatically generated fresh ScaLAPACK build. It will be in /usr/lib, as standard as the BLAS.

The ScaLAPACK generalized Hermitian eigensolver is being enhanced and has been incorporated into the electron structure MP-Quest project at Sandia National Laboratory. It is approximately ten

times faster than the previously existing eigensolver in MP-Quest, and will result in an approximate 90% entry for the Gordon Bell competition based on this work. Performance enhancements to the eigencode will be propagated into the next ScaLAPACK release.

The point of contact for ScaLAPACK is Susan Blackford, (865) 974-5886, susan@cs.utk.edu.

The ARPACK work has been adopted by Mathworks and forms the basis for the new *eigs* command in Matlab for sparse eigenvalue computation. We have entered into a collaboration with Roldan Pozo of NIST to construct an interface between ARPACK++ and TNT. This will provide the ability to define and work with matrices in ARPACK++ using TNT matrix classes. We have also established a research relationship with Sandia Albuquerque. Parallel ARPACK has been linked to AZTEC (Sandia's parallel iterative linear solver package) and is being applied to a stability analysis of thin film reactors. The point of contact for ARPACK, ARPACK++, and P_ARPACK is Dr. Dan Sorensen, (713) 527-4805, sorensen@rice.edu.

CAPSS has been used in solving numerous problems in structural mechanics, including shearing in foam-like materials and crack propagation in extrusion processes. CAPSS has also been used in the study of fluid-flows using higher-order finite-element methods. MFACT and CAPSS are being used to solve large-scale complex systems from electromagnetic applications at Northrop-Grumman. The point of contact for CAPSS is Dr. Mike Heath, (217) 333-6268, heath@ncsa.uiuc.edu.

3 Publications and Technical Reports

1. *A New Deflation Criterion for the QR Algorithm*, M. Ahues and F. Tisseur, University of Tennessee Technical Report, CS-97-353, 1997 (also LAPACK Working Note 122).
2. *Performance Improvements to LAPACK for the Cray Scientific Library*, E. Anderson and M. Fahey, University of Tennessee Technical Report, CS-97-359, 1997 (also LAPACK Working Note 126).
3. *A Test Matrix Collection for Non-Hermitian Eigenvalue Problems*, Z. Bai, D. Day, J. Demmel, and J. Dongarra, University of Tennessee Technical Report, CS-97-355, 1997 (also LAPACK Working Note 123).

4. *Templates for the solution of eigenvalue problems: A practical guide*, Z. Bai, J. Demmel, J. Dongarra, A. Edelman, M. Gu, A. Ruhe, B. Kågström, Y. Saad, G. Sleijpen, D. Sorensen, and H. van der Vorst, in preparation, 1998.
5. *The spectral decomposition of nonsymmetric matrices on distributed memory parallel computers*, Z. Bai, J. Demmel, J. Dongarra, A. Petitet, and H. Robinson, University of Tennessee at Knoxville, Computer Science Dept. Technical Report, CS-95-273, 1995, to appear in SIAM J. Sci. Comp.
6. *Inverse free parallel spectral divide and conquer algorithms for nonsymmetric eigenproblems*, Z. Bai, J. Demmel, and M. Gu. To appear in *Numerische Mathematik*.
7. *Practical Experience in the Dangers of Heterogeneous Computing*, L. S. Blackford, A. Cleary, J. Demmel, I. Dhillon, J. Dongarra, S. Hammarling, A. Petitet, H. Ren, K. Stanley, and R. C. Whaley, Technical Report, CS-96-330, University of Tennessee, 1996 (also LAPACK Working Note 112). Submitted and accepted in ACM TOMS, to appear 1997.
8. *Installation Guide and Design of the HPF 1.1 interface to ScaLAPACK, SLHPF*, L. S. Blackford, J. J. Dongarra, C. A. Papadopoulos, and R. C. Whaley, CS-98-396, 1998 (also LAPACK Working Note 137).
9. *ScaLAPACK Evaluation and Performance at the DoD MSRCs*, L. S. Blackford and R. C. Whaley, University of Tennessee Technical Report, CS-98-388, 1998 (also LAPACK Working Note 136).
10. *Design of a Library of Parallel Preconditioners*, T. F. Chan and V. Eijkhout, UCLA Department of Mathematics CAM Report 97-58, December 1997.
11. *Wavelet Sparse Approximate Inverse Preconditioners*, Tony F. Chan, W. P. Tang, and W. L. Wan, BIT, 37:3, 1997, pp. 644–660. (also UCLA Cam report 96-33, September 1996)
12. *Galerkin Projection Methods for Solving Multiple Linear Systems*, Tony F. Chan and Michael K. Ng, UCLA Cam report 96-31, September 1996, Submitted to SIAM J. Sci. Comp.

13. *Boundary Treatments for Multilevel Methods on Unstructured Meshes*, Tony F. Chan, Susie Go and Jun Zou, UCLA Cam report 96-3, September 1996, To appear in SIAM J. Sci. Comp.
14. *Multilevel Domain Decomposition and Multigrid Methods for Unstructured Meshes: Algorithms and Theory*, Tony F. Chan, Susie Go, and Jun Zou, In Proc. of 8th Int'l Conf. on Domain Decomposition Methods, J. Wiley, Beijing, May 1995, pp. 159-176. (also UCLA Cam report 95-24, May 1995).
15. *Geometric Spectral Partitioning*, Tony F. Chan, John R. Gilbert, and Shang-Hua Teng, UCLA Cam report 95-5, January 1995, Submitted to SIAM J. Sci. Comp.
16. *A New Parallel Matrix Multiplication Algorithm on Distributed-Memory Concurrent Computers*, J. Choi, University of Tennessee Technical Report, CS-97-369, 1997 (also LAPACK Working Note 129).
17. *Implementation in ScaLAPACK of Divide and Conquer Algorithms for Banded and Tridiagonal Linear Systems*, A. Cleary and J. Dongarra, University of Tennessee Technical Report, CS-97-358, 1997 (also LAPACK Working Note 125).
18. *Packed Storage Extensions for ScaLAPACK*, E. D'Azevedo and J. Dongarra, University of Tennessee Technical Report, CS-98-385, 1998 (also LAPACK Working Note 135). Submitted to Parallel Computing.
19. *Accurate SVDs of Structured Matrices*, J. Demmel, University of Tennessee Technical Report, CS-97-369, 1997 (also LAPACK Working Note 129).
20. *SuperLU Users' Guide*, J. Demmel, J. Gilbert, and X. Li, in preparation, 1997.
21. *An Asynchronous Parallel Supernodal Algorithm for Sparse Gaussian Elimination*, J. Demmel, J. Gilbert, and X. Li, University of Tennessee Technical Report, CS-97-358, 1997 (also LAPACK Working Note 124), to appear in SIAM J. Mat. Anal. Appl., 1997.

22. *Computing the Singular Value Decomposition with High Relative Accuracy*, J. Demmel, M. Gu, S. Eisenstat, I. Slapnicar, K. Veselic, and Z. Drmac, University of Tennessee Technical Report, CS-97-348, 1997 (also LAPACK Working Note 119).
23. *A Supernodal Approach to Sparse Partial Pivoting*, J. Demmel, S. Eisenstat, J. Gilbert, X. Li, and J. W. H. Liu, UC Berkeley Computer Science Division Technical Report, UCB//CSD-95-883, September, 1995, to appear in SIAM J. Mat. Anal. Appl.
24. *Scheduling Block-Cyclic Array Redistribution*, F. Desprez, J. Dongarra, A. Petitet, C. Randriamaro, and Y. Robert, University of Tennessee Technical Report, CS-97-349, 1997 (also LAPACK Working Note 120).
25. *A New $O(n^2)$ Algorithm for the Symmetric Tridiagonal Eigenvalue/Eigenvector Problem*, I. Dhillon, PhD thesis, Computer Science Division, Department of Electrical Engineering and Computer Science, University of California, Berkeley, CA, 1997.
26. *Application of a New Algorithm for the Symmetric Eigenproblem to Computational Quantum Chemistry*, I. Dhillon, G. Fann, and B. Parlett, Proceedings of the Eighth SIAM Conference on Parallel Processing for Scientific Computing, SIAM, March, 1997.
27. *Computing the eigenvectors of a symmetric tridiagonal matrix*, I. S. Dhillon, and B. N. Parlett, in preparation, 1997.
28. *The Design and Implementation of the Parallel Out-of-core ScaLAPACK LU, QR, and Cholesky Factorization Routines*, J. J. Dongarra and E. F. D'Azevedo, Department of Computer Science Technical Report, CS-97-347, University of Tennessee, January, 1997. (also LAPACK Working Note 118).
29. *On Factorizations of the Hessenberg matrices arising from Polynomial Iterative Methods*, Victor Eijkhout, UCLA CAM report 96-44, October 1996, Submitted to Numerical Linear Algebra and its Applications.
30. *Residual Smoothing for Complex Symmetric Systems*, V. Eijkhout, UCLA Department of Mathematics CAM Report 97-59, December 1997.

31. *ParPre: A Parallel Preconditioners Package reference manual for version 2.0.17*, V. Eijkhout and T. F. Chan, UCLA Department of Mathematics CAM Report 97-24, June 1997.
32. *Parallel Direct Methods for Sparse Linear Systems*, Heath, M. T., in *Parallel Numerical Algorithms*, ed. by D. E. Keyes, A. Sameh, and V. Venkatakrisnan, Kluwer Academic Publishers, Boston, 1997, pp. 55-90.
33. *Scientific Computing: An Introductory Survey*, Heath, M. T., McGraw-Hill, New York, 1997.
34. *Performance of a Fully Parallel Sparse Solver*, Heath, M. T., and P. Raghavan, *Int. J. Supercomput. Appl. High Perf. Comput.*, Vol. 11, No. 1, 1997, pp. 49-64.
35. *Performance of Parallel Sparse Triangular Solution*, Heath, M. T. and P. Raghavan, In *Algorithms for Parallel Processing*, Vol. 11, Eds., M. T. Heath and A. Ranade and R. S. Schreiber, Springer-Verlag, New York, 1998, pp. 289-306.
36. *A Parallel Implementation of the Nonsymmetric QR Algorithm for Distributed Memory Architectures*, G. Henry, D. Watkins, and J. Dongarra, University of Tennessee Technical Report, CS-97-352, 1997 (also LAPACK Working Note 121).
37. *ARPACK USERS GUIDE: Solution of Large Scale Eigenvalue Problems by Implicitly Restarted Arnoldi Methods*, R. B. Lehoucq, D. C. Sorensen, C. Yang, 142 pages, SIAM Publications, Philadelphia, PA, 1998.
38. *Sparse Gaussian Elimination on High Performance Computers*, Li, X., University of Tennessee Technical Report, CS-97-368, 1997 (also LAPACK Working Note 127).
39. *P-ARPACK: An Efficient Portable Large Scale Eigenvalue Package for Distributed Memory Parallel Architectures*, K.J. Maschhoff and D.C. Sorensen, *Lectures Notes in Computer Science 1184*, Applied Parallel Computing, J. Waśniewski and J. Dongarra and K. Madsen and D. Olesen, eds., Springer Verlag, New York, pp. 478-486, 1996 (also Rice University Technical Report TR96-33(caam)).

40. *A Comparison of Computational Complexities of HFEM and ABC Based Finite Element Methods*, Nasir, M. A., W. C. Chew, P. Raghavan, and M. T. Heath, J. Electromagnetic Waves and Applications, Vol. 11, (1997) pp. 1601–1617.
41. *The Performance of Greedy Ordering Heuristics*, Ng, E. G., and P. Raghavan, to appear in SIAM J. Matrix Anal. Appl., 1998.
42. *A new class of preconditioners for large scale linear systems from interior point methods for linear programming*, A.R.L. Oliveira and D.C. Sorensen, Rice U. CAAM-TR97-27, 1997, (Submitted to SIAM J. Optimization).
43. *Computational Experience with a preconditioner for interior point methods for linear programming*, A.R.L. Oliveira and D.C. Sorensen, Rice U. CAAM-TR97-28, November 1997, (Submitted to SIAM J. Optimization).
44. *Fernando's Solution to Wilkinson's Problem: An Application of Double Factorization*, B. N. Parlett, and I. S. Dhillon, Lin. Alg. Appl., Volume 267, pp. 247–279, 1997.
45. *Algorithmic Redistribution Methods for Block Cyclic Decompositions*, A. Petitet, University of Tennessee Technical Report, CS-98-383, 1998 (also LAPACK Working Note 133).
46. *Efficient Parallel Triangular Solution with Selective Inversion*, P. Raghavan, Technical Report CS-95-314, University of Tennessee, Dec 1995. To appear in Parallel Processing Letters, 1998.
47. *Parallel ordering using edge contraction*, P. Raghavan, Parallel Computing, Vol. 23, No. 8, 1997, pp. 1045–1067. (also University of Tennessee Technical Report CS-95-293, May 1995.)
48. *Sign-function based nonsymmetric eigenroutine for ScaLAPACK*, H. Robinson, Master's Thesis, Mathematics Dept., University of California, Berkeley CA, in progress, 1997.
49. *Minimization of a Large Scale Quadratic Function Subject to a Spherical Constraint*, D.C. Sorensen, SIAM J. Optimization, Vol. 7, pp. 141–161, 1997. (also Rice U. CAAM-TR 94-27).

50. *New approaches to large scale Eigenanalysis*, D. C. Sorensen, in *Computational Science for the 21st Century*, Bristeau, Etgen, Fitzgibbon, Lions, Periaux and Wheeler, eds., 62-71, John Wiley and Sons Ltd, Chichester, England, 1997.
51. *Implicitly Restarted Arnoldi/Lanczos Methods for Large Scale Eigenvalue Calculations*, D.C. Sorensen, (invited survey paper), in *Parallel Numerical Algorithms* D. E. Keyes, A. Sameh, and V. Venkatakrishnam, eds., Kluwer, Dordrecht, pp. 119-166, 1996.
52. *A Truncated RQ-iteration for Large Scale Eigenvalue Calculations*, D. C. Sorensen and C. Yang, Rice University CAAM-TR96-06, May, 1996. (To appear in SIAM J. Matrix Analysis and Applications).
53. *Truncated QZ methods for Large Scale Generalized Eigenvalue Problems*, D.C. Sorensen, Rice U. CAAM-TR98-01, 1998, (Submitted to Electronic Transactions on Numerical Analysis).
54. *Execution Time of Symmetric Eigensolvers*, K. Stanley, PhD thesis, Computer Science Division, Department of Electrical Engineering and Computer Science, University of California, Berkeley, CA, 1997.
55. *Parallelizing the Divide and Conquer Algorithm for the Symmetric Tridiagonal Eigenvalue Problem on Distributed Memory Architectures*, F. Tisseur and J. Dongarra, University of Tennessee Technical Report, CS-98-382, 1998 (also LAPACK Working Note 132).
56. *High Performance Linear Algebra Package – LAPACK90*, J. Waśniewski and J. Dongarra, University of Tennessee Technical Report, CS-98-384, 1998 (also LAPACK Working Note 134).
57. *Automatically Tuned Linear Algebra Software*, R. C. Whaley and J. Dongarra, University of Tennessee Technical Report, CS-97-366, 1997 (also LAPACK Working Note 131).
58. *Accelerating the Arnoldi Iteration – Theory and Practice*, C. Yang, PhD thesis, Dept. Computational and Applied Math, Rice University, 1998. (also Rice U. CAAM-TR98-06).

59. *Convergence Analysis of an Inexact Truncated RQ-Iteration*, C. Yang, Rice University CAAM-TR98-07, 1998. (Submitted to Electronic Transactions on Numerical Analysis).

4 Participating Scientific Personnel Earning Advanced Degrees

- Inderjit Dhillon, Graduate Student, University of California at Berkeley, PhD 1997.
- Jennifer Finger, Graduate Student, University of Tennessee at Knoxville, MS 1997.
- Thomas Harrold, Graduate student, University of Tennessee at Knoxville, MS 1997.
- Jeff Horner, Graduate student, University of Tennessee at Knoxville, MS 1999.
- Song Jin, Graduate Student, University of Tennessee at Knoxville, MS 1999.
- Youngbae Kim, Graduate student, University of Tennessee at Knoxville, PhD 1996.
- A. Oliveira, Graduate student, Rice University, PhD 1997.
- Antoine Petitot, Graduate student, University of Tennessee at Knoxville, PhD 1996.
- Huan Ren, Graduate Student, University of California at Berkeley, PhD 1997.
- Howard Robinson, Graduate Student, University of California at Berkeley, MS 1997.
- M. Rojas, Graduate student, Rice University, PhD 1998.
- Ken Stanley, Graduate student, University of California at Berkeley, PhD 1997.
- C. Yang, Graduate student, Rice University, PhD 1998.

References

- [1] Owe Axelsson and Victor Eijkhout. The nested recursive two-level factorization method for nine-point difference matrices. *SIAM J. Sci. Stat. Comput.*, 12:1373–1400, 1991.
- [2] Tony Chan and Victor Eijkhout. Design of a library of parallel preconditioners. Technical Report UCLA CAM report 97-58, University of California, Los Angeles, 1997.
- [3] Victor Eijkhout and Tony Chan. ParPre: A parallel preconditioners package, reference manual for version 2.0.17. Technical Report CAM Report 97-24, UCLA, 1997.
- [4] The MPI forum. MPI: A message passing interface standard (version 1.1). Available electronically from <http://www.mcs.anl.gov/mpi/>.
- [5] C. Koelbel, D. Loveman, R. Schreiber, G. Steele Jr., and M. Zosel. *The High Performance Fortran Handbook*. The MIT Press, 1994. See also the HPF forum web page at <http://www.erc.msstate.edu/hpff/home.html>.
- [6] S. Toledo. Improving instruction-level parallelism in sparse matrix-vector multiplication using reordering, blocking, and prefetching. In *Proceedings of the 8th SIAM Conference on Parallel Processing for Scientific Computing*, 1997.